



TOP CLASS

Back cover - Page 1




PG
- Page
- mm 275 x 404




X004
- Window page 1.
- mm 65,75 x 79

Page 1




X117
- Vertical strip
- mm 7 x 370
- Pos. Stringa

Page 1 sx




X043
- Manchette
- mm 41,3 x 29,1
- Pos. T1MS

Page 1 dx




X043
- Manchette
- mm 41,3 x 29,1
- Pos. T1MD

Page 1




X112
- Double window
- mm 135,5 x 79
- Pos. DOPFIN1

Page 2/3




0607
- Strip bottom page
- mm 275 x 99,5

Page 2/3




0310
- Quarter page
- mm 135,5 x 143

Page/3




0314
- Central tower
- mm 135,5 x 201

Page 4/7




PG
- Page
- mm 275 x 404

Page 5/6



0310
- Quarter page
- mm 135,5 x 143

Page 5/6




0607
- Strip bottom page
- mm 275 x 99,5

Venduto singolarmente o doppio con la possibilità di essere affiancati e centrati nella doppia pagina


TOP CLASS

Page 5/6




0314
- Central tower
- mm 135,5 x 201

Page 6




0414
- Large quarter page
- mm 182 x 201

within page 11 within page 17




0418
- Junior page
- mm 182 x 259

within page 13 within page 15




PGMO
- Half page oriz.
- mm 275 x 201

within page 15




PG
- Page
- mm 275 x 404

Page 1




X197
- Mini strip bottom page
- mm 275 x 64

Page 2




0609
- Maxi strip bottom page
- mm 275 x 128,5

Page 2/3




X174
- Double central tower
- mm 301 x 201


SPECIAL SIZE




X088
- Culla
- Base totale mm 580 x h. centrale mm 99,5
- Lato superiore mm 89 x h. esterna mm 186,5




X086
- Spread double page
- 6 columns
- mm 301 x 404




X087
- Double strip bottom page
- mm 440,5 x 99,5



X089
- Double half page
- mm 440,5 x 201




X228
- Two lhp/rhp facing columns
- mm 89 x 404




PGDM
- Double half page
- mm 580 x 201

SPECIAL SIZE




X041
- Double large quarter page
- mm 394 x 201


FIRST CLASS




PG
- Page
- mm 275 x 404




PGD
- Double page
- mm 580 x 404




PGMO
- Half page orizz.
- mm 275 x 201




0418
- Junior page
- mm 182 x 259




0328
- Half vertical (column B3)
- mm 135,5 x 404




0607
- Strip bottom page
- mm 275 x 99,5



0314
- Central tower
- mm 135,5 x 201




0228
- Column B2
- mm 89 x 404




0414
- Large quarter page
- mm 182 x 201

FIRST CLASS VETRINE E POSIZIONI FISSE




X007
- Manchette section cover
- mm 66 x 35




0207
- Window section cover
- mm 89 x 99,5

Section sport




0607
- Strip bottom page
- mm 275 x 99,5


Section sport




X091
- Maxi pipa
- mm 275 x 99,5 lato alto
mm 56 lato basso



0407
- Double window
- mm 182 x 99,5




0314
- Tower
- Weather
- mm 135,5 x 201




X201
- Stock market Window
- mm 72 x 106

Page TV



0607
- Strip bottom page
- mm 275 x 99,5

Page Analisi e Commenti



X050
- Double large quarter page
- mm 301 x 143

PRINTING	ROTO-OFFSET
LAYOUT	6 COLUMNS
PUBLICATION FORMAT	BOOKLET

File type: PDF 1.3 generated only by Acrobat version 4.0 or subsequent. Texts must be composited (no separation); each file must contain only one page and should not be password protected.

Image resolutions

Gray and colour scale: 150 DPI (high quality JPEG compression)

Outlined images: 1270 DPI (compression CCITT, group 4)

Colour Method: CMYK (all other methods must be converted)

Coding: ASCII

Vectorial element and text: f color, use CMYK space; if B/W, use GRAYSCALE; as for compression: select Acrobat Distiller "compress text and line-art" option and 1270 dpi resolution in general options THE FOLLOWING SHOULD BE CONSIDERED: during rotary press image processing, the "dot gain" is 25%.

Font: Only "Type 1" fonts should be used and the font must be embedded into the PDF, any other font different from "Type 1" must be vectorialized (with contour trace).

For all non ADOBE program user: For a correct creation of the PDF, all non Adobe program users are advised to input the original document into XPRESS and execute the PDF

Advertising format: Each ads should have a white margin of about 0,5 mm. on the right and on the bottom side.

Support materials: Each digital document must be provided with a quality print of the last saving performed.

N.B. the printed documents will be considered as reference and evidence material, which has master value if the digital document does not correspond to the printed one.

DIGITAL MATERIAL SENDING CRITERIA

- An Internet trasmission is requested for both the finished file to be published and the attached required information: use the WEB Service Site INPAGINA (<http://inpagina.rcs.it/>).
- This web-site offers to all authorized users the following features:

Acrobat Distiller profiles to create PDF files according to the above described requests

User manuals for a correct use of Acrobat Distiller together with the most used professional graphic application programs

DIGITAL MATERIALS DELIVERY TIME

The material should be provided according to its characteristics:

- **W/B: 3 working days before the publishing date**
- **COLOUR: 3 working days before the publishing date**
- **DOUBLE PAGE (WITH NO INTERRUPTION): 10 working days before the publishing date.**

Before booking always verify space availability with Esecutivo Quotidiani