




## FIRST PAGE




**PG**  
- Full page  
- mm 276x388,5




**0102**  
- Manchettes  
- mm 52x52,5



**0203**  
- Window  
- mm 108x80,5




**0303**  
- Double Window  
- mm 164x80,5




**0503**  
- Strip bottom page  
- mm 276x80,5


## INTERNAL FORMATS




**0102**  
- Manchettes  
- mm 52x52,5




**0103**  
- 3 modules  
- mm 52x80,5



**0104**  
- 4 vertical modules  
- mm 108x52,5




**0202**  
- 4 modules  
- mm 108x80,5




**0203**  
- 6 modules  
- mm 108x80,5


## INTERNAL FORMATS




**0204**  
- 8 modules  
- mm 108x108,5




**0304**  
- Mini quarter page  
- mm 164x108,5




**0306**  
- MaxiQ  
- mm 164x164,5




**0306**  
- Central MaxiQ  
- mm 164x164,5




**0308**  
- Junior page  
- mm 164x220,5




**0309**  
- 27 modules - Super junior page  
- mm 164x248,5




**0503**  
- Strip bottom page  
- mm 276x80,5



**0504**  
- Big strip bottom page  
- mm 276x108,5




**0506**  
- Fake half page  
- mm 276x164,5




**0213**  
- Tower-high  
- mm 108x360,5


## INTERNAL FORMATS




**0208**  
- 16 modules  
- mm 108x220,5




**0502**  
- 10 modules - Piedino  
- mm 276x52,5




**PGD**  
- Double page  
- mm 581x388,5



**1004**  
- Double strip bottom page  
- mm 581x108,5



**PGDM**  
- Double half page  
- mm 581x164,5



**PG**  
- Full page  
- mm 276x388,5

PRINTING

ROTO-OFFSET

LAYOUT

5 COLUMNS

**File type:** PDF 1.3 generated only by Acrobat version 4.0 or subsequent. Texts must be composited (no separation); each file must contain only one page and should not be password protected.

#### Image resolutions

**Gray and colour scale:** 150 DPI (high quality JPEG compression)

**Outlined images:** 1270 DPI (compression CCITT, group 4)

**Colour Method:** CMYK (all other methods must be converted)

**Coding:** ASCII

**Vectorial element and text:** f color, use CMYK space; if B/W, use GRAYSCALE; as for compression: select Acrobat Distiller “compress text and line-art” option and 1270 dpi resolution in general options THE FOLLOWING SHOULD BE CONSIDERED: during rotary press image processing, the “dot gain” is 25%.

**Font:** Only “Type 1” fonts should be used and the font must be embedded into the PDF, any other font different from “Type 1” must be vectorialized (with contour trace).

**For all non ADOBE program user:** For a correct creation of the PDF, all non Adobe program users are advised to input the original document into XPRESS and execute the PDF

**Advertising format:** Each ads should have a white margin of about 0,5 mm. on the right and on the bottom side.

**Support materials:** Each digital document must be provided with a quality print of the last saving performed.

**N.B.** the printed documents will be considered as reference and evidence material, which has master value if the digital document does not correspond to the printed one.

#### DIGITAL MATERIAL SENDING CRITERIA

- An Internet trasmission is requested for both the finished file to be published and the attached required information: use the WEB Service Site INPAGINA (<http://inpagina.rcs.it/>).

- This web-site offers to all authorized users the following features:

Acrobat Distiller profiles to create PDF files according to the above described requests

User manuals for a correct use of Acrobat Distiller together with the most used professional graphic application programs

#### DIGITAL MATERIALS DELIVERY TIME

The material should be provided according to its characteristics:

- W/B: 3 working days before the publishing date

- COLOUR: 3 working days before the publishing date

- DOUBLE PAGE (WITH NO INTERRUPTION): 10 working days before the publishing date.

Before booking always verify space availability with Esecutivo Quotidiani